



Name Rule V.20220615

Page	Product	Page	Product
1	V.20220615	23~29	Display: LCD/Interactive/LED
2~3	HDCVI Camera	30~33	Control: Decoder/Matrix/KVM
4~5	HDCVI Recorder/Cooper	34~35	Transmission: Switch/Wireless Bridge
6~10	Network Camera	36~38	Accessory/Audio
11~12	General NVR/IVSS	39	Video Conferencing
13	IP/CVI KIT	40~42	Video Intercom
14	Mobile DVR/NVR	43~44	Alarm
15	ATM DVR/NVR	45~50	Access Control
16	Thermal Camera	51~55	Intelligent Traffic System
17	Consumer Camera	56	IVS
18~19	Speed Dome (PTZ Camera)	57	Dashcam
20-21	DSS/PMS	58-61	Security screening product
22	EVS/ESS		

HDCVI Camera (1/2)



HDCVI Camera (2/2)



Case:

A: PIR Cube
 B: Active Deterrence Bullet/
 Pinhole Camera
 C: Active Deterrence Bullet /
 Plastic Bullet
 CM: Metal Bullet
 D: Active Deterrence Bullet/
 Metal Bullet
 E: Metal Bullet/Metal Dome/
 Active Deterrence Eyeball
 EA: Metal Dome
 EQ: Active Deterrence Quick-to-
 install Eyeball
 EM: Metal Eyeball
 F: Metal Wedge Dome
 G: Micro-size Bullet/ Box
 M: Metal Eyeball

R: Plastic Bullet/ Plastic Eyeball
 RA: Metal Dome
 R-Z: Metal Bullet/ Metal Dome
 S: Metal Bullet
 SL: Plastic Bullet/ Plastic Eyeball
 T: Metal Bullet/ Metal Eyeball
 T-Z: Metal Bullet/ Metal Eyeball
 T-I8: Large size Metal Bullet
 TE: Metal+Plastic Eyeball
 TH-I4: IR 40m Bullet (Metal Bracket)
 TH-I8: IR 80m Bullet (Metal Bracket)
 TL: Bullet/Eyeball
 TLM: Metal Bracket Bullet
 TQ: Quick-to-install Eyeball (82mm)
 TLQ: Quick-to-install Eyeball (69mm)
 TLMQ: Quick-to-install Metal Eyeball(69mm)
 TMQ: Quick-to-install Metal Eyeball (82mm)
 TRQ: Quick-to-install Eyeball (Without IP67) (69mm)


Video Format:

P: PAL
 N: NTSC



Feature:

-VF: Manual vari-focal
 -Z: Motorized vari-focal
 -H: With built-in heater
 -T: With SDI output
 -A: Built-in mic
 -DP: Dual-power
 (AC24V/DC12V)
 -POC: Power over coax
 -LED: White light
 -DIP: Dip switch
 -VP: Vandal proof
 -TH: Temperature & Humidity
 -IL: Smart Dual Illuminators
 -W: Wireless
 -IRE6: IR 60m
 -PIR: PIR Camera
 -L: White Light
 -S: Siren
 -LS: White Light & Siren
 -PV: TiOC Camera


HDCVI Recorder (XVR)



HDCVI Cooper Series (Camera & Recorder)



Network Camera(1/2)



Network Camera(2/2)



Appearance

- B: Single IR LEDs IR Bullet
- C: IR Bullet/Mini Dome
- D: Double IR LEDs IR Bullet
- E: IR-Bullet / Dome / Single IR LEDs Plastic Eyeball
- EM: Single IR LEDs Metal Eyeball
- F: Dome / Box Camera / Four IR LEDs IR Bullet
- G: Indoor Dome
- H: VF Bullet(with junction box) / Dome(with junction box) / Eyeball
- K: IR Bullet
- M: S-model Metal Eyeball/ Long IR Bullet
- R: Metal Vandal-proof IR Dome / Metal Bullet/Metal Eyeball
- R1: R1 Dome
- S: Plastic IR Eyeball / Mini IR Bullet
- S1: S1 IR Eyeball
- T: IR Bullet / IR Eyeball
- T1: T1 IR Bullet
- TM: Metal IR Eyeball
- X: Dual-Lens Camera
- DS1: Non-PoE S1 Bullet
- DV: Non-PoE Eyeball
- DG: Non-PoE G Bullet
- DF: Non-PoE F Bullet
- DK1: Non-PoE K1 Bullet**

Video format


- P: PAL
- N: NTSC
- (Cancellation of P/N mark for external models of products released after 2021)

Common function:


- BV: Behaviors
- W: WIFI
- AW: Audio/Alarm/SD WIFI Camera
- E: E PoE
- M/M12: Mobile
- F: Fiber interface
- H: Heater
- A: Built-in MIC(only for Entry Series)
- A2: Dual Audio
- PT: pan &Tilt
- ATC: Anti-Corrosion
- S: SD card
- AS: Audio & Alarm & SD Card
- VF: Vari-focal
- SL: Stainless
- ST: SD Card & Built-in Mic & Speaker
- Z: Motorized lens
- Ix: IR numbers
- NI: Full color, non IR
- LED: White light illumination
- Z4/5/12: 4/5/12X zoom
- L1/L2/L3/L4/L5: Lens
- IRA: Bullet
- IRE6: IR Bullet
- MF: More Frame
- SFC: Separated Front Cover
- 4G: 4G
- SVAC: SVAC encoder
- NF: Optical port + Network port
- N2: dual Network port
- SDI: SDI Interface
- A2: Dual Audio
- WG: WiFi & GPS
- I:Car bayonet
- PC: People Counting
- FD: Face Detection
- FR: Face Recognition
- ME: Mobile dome
- UWB: Position
- WGS:
- DAQ: data collection
- U:USB
- DT: Subway
- HT: Aerospace
- JM: Encryption
- D2: Dual sensor
- IL: IR and LED
- P: Wide Angle
- SP: Solar Panel
- 3D: 3 Dimensional
- LI: Dual Light Fusion
- PV: Perimeter Vigilance
- VM12/HM12: Vertical /Horizontal Installation Mobile Camera
- 5G:5G
- VH: ANPR special model
- ATC: Anti-corrosion coating
- PD: Parking space status detection

- S2: Second generation
- Sn: Nth generation


Network Camera(Dual-Channel Series)





Network Camera (Panoramic Series)




Network Camera (EZ-IP Series)




General NVR



IVSS



KIT



Storage Model:

NVR Series
HCVR Series

Camera Numbers:

2:two cameras
4:four cameras
8:eight cameras

Camera Model:

IPC Series
HDCVI Series



Storage Model:

NVR Series
HCVR Series

Camera Numbers:

2:two cameras
4:four cameras
8:eight cameras

Camera Model:

IPC Series
HDCVI Series


Camera Numbers:

2:two cameras
4:four cameras
8:eight cameras


Camera Model:

IPC Series
HDCVI Series


Mobile DVR/NVR




ATM DVR/NVR




Thermal Camera




Consumer Camera



Speed Dome




PTZ/Explosion Series




Multi-sensor Series


DSS Baseline




DSS: PMS




EVS




ESS



Monitor



Monitor Bracket



TV

DHI

—

LTV

22

—

LN

200

Brand:
Overseas Dahua

LTV: TV

Size:
22: 22"
24: 24"
32: 32"
40: 40"
43: 43"
50: 50"
55: 55"
65: 65"
75: 75"

Positioning:
LN: Analog TV

LD: Digital TV

SA: Smart TV
with Android

SN: Smart TV
with Linux

100: <1080P
200: 1080P
400: 4K

LCD Video Wall

DHI

Brand:
Overseas
Dahua

LS

Type:
LS: LCD
video wall

460

Size:
460: 46"
490: 49"
550: 55"
650: 65"

U

resolution:
U: 1080P
K: 4K

C

Seam:
E: 0.5~1mm
D: 1.x~2.xmm
C: 3.x~4.xmm
T: 5.x~6.xmm
X: 10.x~20.xmm

M

Brightness:
H: High brightness
M: Standard brightness


E

Product series:
B: Basic series
E: Essential series
U: Ultra series

F

Panel type:
S: PVA
G: IPS
F: ADS

LCD Digital Signage



Brand:
DH/DHI:
Dahua

LD:
LCD Digital Signage

H: Wall-mounted
V: Floor-standing

Size:
10: 10'
22: 22"
32: 32"
43: 43"
49: 49"
50: 50"
55: 55"
65: 65"

Positioning:
S: Standard
T: Treasure
P: Premium
M: Performance
D: Economic
H: Highlight
E: Egant
F: Plastic housing


AI: Android Indoor
AO: Android Outdoor
WI: Windows Indoor
WO: Windows Outdoor
AS: Bus station
AB: Vehicle

100: <1080P
200: 1080P
400: 4K


T: Touchable
(): Untouchable
A: Air condition
D: Double Screen
K: RK3288
P: PX30

H: Horizontal
(): Untouchable

Interactive LCD Display




Accessory




Interactive LCD Display




HiBoard: E-Whiteboard Display



A: Ultimate
.....




Size:
65: 65"
75: 75"
86: 86"




H: overseas edition

Accessory




E-Whiteboard
Display



SMA: Sharing Cable
PC: Detachable PC
ST: Removable pedestal




null: 缺省
CPU: I3 / I5 / I7



Reserve
A~Z




Reserve
0~9




H: overseas


LED Display




Decoder




Video wall controller




Video wall controller



KVM




Switch




Wireless Bridge

—Only for V-Radio series wireless bridge




Accessory



Public Lens (new)



Audio



Video Conferencing



USB Camera

Category:


- 00-economical 1080P webcam
- 20-1080P USB webcam
- 25-1080P USB webcam (AF)
- 30- high level 1080P webcam(new appearance)
- 80H-4K webcam



Video conferencing system series

Microphone

- 3x: economical series
- 4x: elite series



Video conferencing system series

All-in-one USB camera & PTZ camera & HD camera

- 4- All-in-one USB camera (set on table)
- 5- Soundbar & (PTZ camera)



Video conferencing system series


Endpoint



Video conferencing Multiple control system series unit


Video Intercom(Outdoor Station)

Notice: The naming rule is applicable to the products released after 2016




Video Intercom(Indoor Monitor)

Notice: The naming rule is applicable to the products released after 2016




Video Intercom(KIT)


Notice: The naming rule is applicable to the products released after 2019




Alarm (Controller)




Alarm (Keypad)




Alarm (Module)




Access Control (Integrated)




Access Control (Controller)




Access Control(Reader)




Access Control(Module)




Access Control (Attendance)




Access Control (Turnstile)




ITS-Traffic Camera




ITS-Traffic Accessory




ITS-Traffic Signal Controller




ITS-Traffic Controller-Board




ITS-Traffic light




ITS-Speed Measuring System




IVS




Dash Camera




Metal Detector



Baggage & Parcel Screening



EAS Labels & Tags



EAS antenna

